(formerly 9180-6) BOOK 5157 DEPARTMENT OF T BUREAU OF LAND

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

1

,
S
5,
ON 6,
All the parties of th
Meridian,
•
·
L969,
, EMBER 21
ROVED
XX∕Group
19 <u>80</u> .

INDEX DIAGRAM

Township 8 SOUTH			, Range	L5 WEST	· ·
3	2 4				
6	8	4	8	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	28	24
19	20	21	22	20	22
30	29	28	27	26	25
81	82	88	84	85	36

Dependent Resurvey of a Portion of the Subdivision Lines	Metes and Bounds Survey of Parcels, Section 5 pg. 18
Section 5 pg. 5 Section 6 pg. 9	Metes and Bounds Survey of Lots 12 and 13, Section 5 pg. 21
Dependent Resurvey of the Metes and Bounds Survey of Lots, Section 6 pg. 13	Metes and Bounds Survey of Lots 15 - 19, Section 6 pg. 23
Survey of Subdivision Lines	Metes and Bounds Survey of Parcel A, Section 6 pg. 29

CHAINS

The following field notes are those of the dependent resurvey of a portion of the north boundary of the township, a portion of the subdivisional lines, and a portion of the subdivision lines within sections 5 and 6, and the dependent resurvey of the metes and bounds survey of a number of lots within section 6; the survey of a portion of the subdivision lines within section 5, the metes and bounds survey of Parcels A, B, C, and D, within section 5, the metes and bounds survey of lots 12 and 13, within section 5, the metes and bounds survey of lots 15 through 19 inclusive, within section 6, and the metes and bounds survey of Parcel A, within section 6, Township 8 South, Range 15 West, of the Gila and Salt River Meridian, Arizona.

History of Previous Surveys: The south and west boundaries, a portion of the east and north boundaries, and a portion of the subdivisional lines were originally surveyed by T. F. White, U. S. Deputy Surveyor, in 1877, as shown upon the official plat, approved July 30, 1877. A portion of the east and north boundaries were surveyed by Francis E. Joy, in 1934; a portion of the subdivisional lines were surveyed by Robert H. Fischer, in 1934, as shown upon the official plat approved February 23, 1935 and accepted April 2, 1935. A portion of the west and north boundaries, and a portion of the subdivisional lines were dependently resurveyed; a portion of the subdivision lines within section 6 were surveyed by Albin H. Wadin, Engineer, Bureau of Reclamation in 1954, as shown upon the official plat, examined and approved by the Bureau of Reclamation, Washington, D.C., March 17, 1955, and was accepted by the Chief, Branch of Surveys (Cadastral), Bureau of Land Management, March 17, 1955. A portion of the north boundary of the township and a portion of the subdivisional lines were dependently resurveyed; a portion of the subdivision lines within section 5, and the metes and bounds survey of lots 5 through 11, also within section 5 were surveyed by Ray Harpin, Cadastral Surveyor, 1972 - 1979, as shown upon the official plat accepted May 1, 1980. A portion of the west boundary was dependently resurveyed by Paul J. Fisher, Cadastral Surveyor, in 1981, as described in the field-note record of the east boundary of Tp. 8 S., R. 16 W., executed concurrently with this group.

These dependent resurveys and surveys were executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973 Edition, and the Special Instructions for Group No. 517, Arizona, dated October 14, 1969, Supplemental Special Instructions, dated November 20, 1969, and Supplemental Special Instructions, dated October 20, 1980.

The direction of all lines of these surveys were determined from direct altitude observations on the sun for azimuth, and these directions refer to the true meridian. The lines were carried forward by normal transit traverse. Distances are expressed in chains.

Preliminary to the resurvey the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

4

CHAINS	The geographic position of the corner of sections
	4, 5, 8, and 9, determined by scaling from a U. S. Geological Survey Quadrangle Map, "Growler, Ariz.
	1955", is as follows: Latitude 32° 45.1' N. and Longitude 113° 48.9' W. The mean magnetic declination is 14 1/2° East.
	Dependent Resurvey of a Portion of the North Boundary Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona
	Restoring the Survey Executed by T. F. White, U. S. Deputy Surveyor, in 1877
	The 1/4 sec. cor. of secs. 5 and 32, monumented with an iron post, 2 1/2 ins. diam., set, mkd. and witnessed as described in the official field-note record of the dependent resurvey of a portion of the north boundary, Tp. 8 S., R. 15 W., executed in 1972.
	S. 89° 49' W., between Tps. 7 and 8 S., through R. 15 W., and between secs. 5 and 32.
	Over nearly level land.
20.02	The point for the W 1/16 sec. cor. of secs. 5 and 32.
	Set an aluminum rod, 48 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 26 ins. below the surface of the ground, mkd.
	T7S R15W
	W 1/16 S 32 S 5
	T8S
	1981
	There are no suitable accessories nor locations available for reference monuments.
40.04	The cor. of secs. 5, 6, 31, and 32, marked with an iron pipe, 1 in. diam., with brass cap 38 ins. below the surface of the road, mkd.
	BUREAU OF RECLAMATION
	T7S R15W S 31 S 32 S 6 S 5
	S 6 S 5 T8S
	195
	The above cor. marker was accepted and described in the official field-note record of the dependent resurvey by Albin H. Wadin, Engineer, Bureau of Reclamation, in 1954. I did not remonument this corner.

Restoring the Resurvey Executed by Albin H. Wadin, Engineer Bureau of Reclamation, in 1954

Dependent Resurvey of a Portion of the North Boundary Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

CHAINS	
	S. 89° 52' W., bet. secs. 6 and 31
20.19	The E 1/16 sec. cor. of secs. 6 and 31, marked with an iron pipe, 1 in. diam., with brass cap 10 ins. below the surface of the road, mkd.
	E $1/16 \frac{S}{S} \frac{31}{6}$
	1950
	The above cor. marker was accepted and described in the official field-note record of the dependent resurvey by Albin H. Wadin, Engineer, Bureau of Reclamation, in 1954. I did not remonument this corner.
	S. 89° 51' W., beginning new measurement.
20.20	The point for the 1/4 sec. cor. of secs. 6 and 32, at proportionate dist.; there is no evidence of the original corner.
	Set an aluminum rod, 36 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd.
	T7S R15W
	1/4 <u>S 31</u> S 6
	T8S
	1981
	There are no suitable accessories nor locations available for reference monuments.
40.40	The W 1/16 sec. cor. of secs. 6 and 31, marked with an iron pipe, 1 in. diam., with brass cap 14 ins. below the surface of the road, mkd.
	BUREAU OF RECLAMATION
	$W 1/16 \frac{S 31}{S 6}$
	1950
	The above cor. marker was accepted and described in the official field-note record of the dependent resurvey by Albin H. Wadin, Engineer, Bureau of Reclamation, in 1954. I did not remonument this corner.
	·
	S. 89° 52' W., beginning new measurement
18.775	The cor. of Tps. 7 and 8 S., Rs. 15 and 16 W., marked with an iron pipe, 2 ins. diam., with brass cap 20 ins. below the surface of the road, set, mkd, and described in the field-note record of the dependent resurvey of a portion of the east boundary, Tp. 8 S., R. 16 W., executed concurrently with this group.

Dependent Resurvey, Portion of Subdivisional Lines Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

CHAINS	
China	The 1/4 sec. cor. of secs. 5 and 6, marked with an iron pipe, 1 in. diam., set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979.
	N. 0° 40' E., bet. secs. 5 and 6.
5.075	The point for Cor. No. 3, Parcel B, sec. 5.
	Set an aluminum rod, 48 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 16 ins. below the surface of the road, mkd.
	T8S R15W S 6 S 5 PAR B COR 3
	1981
	There are no suitable accessories nor locations available for reference monuments.
15.46	The point for Cor. No. 3, Parcel A and Cor. No. 2, Parcel B, sec. 5.
	Set an aluminum rod, 36 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd.
	T8S R15W S 6 S 5 PAR A COR 3 COR 2 PAR B
	1981
	There are no suitable accessories nor locations available for reference monuments.
15.84	The point for Cor. No. 5, Parcel A, sec. 6.
	Set an aluminum rod, 48 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd.
	T8S R15W S 6 S 5 PAR A PAR A COR 5
	1981
	There are no suitable accessories nor locations available for reference monuments.
18.41	The point for Cor. No. 2, Parcel A, sec. 5.

Dependent Resurvey, Portion of Subdivisional Lines Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

CHAINS	Set an aluminum rod, 36 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 10 ins. below the surface of the road, mkd.
	T8S R15W S 6 S 5 COR 2 PAR A PAR A
	1981
	There are no suitable accessories nor locations available for reference monuments.
20.36	The N 1/16 sec. cor. of secs. 5 and 6, marked with an iron pipe, 1 in. diam., with brass cap 6 ins. below the surface of the road, mkd.
	BUREAU OF RECLAMATION N 1/16 S 6 S 5
	1950
	The above cor. marker was accepted and described in the official field-note record of the dependent resurvey by Albin H. Wadin, Engineer, Bureau of Reclamation, in 1954. I did not remonument this corner.
20.17	N. 0° 41' E., beginning new measurement. The cor. of secs. 5, 6, 31, and 32 on the north boundary of the township. Discontinue the dependent resurvey of the subdivisional lines at this cor.
	Dependent Resurvey of a Portion of the Subdivision Lines Within Sections 5 and 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona
	Restoring the Survey Executed by Ray Harpin, Cadastral Surveyor in 1972 - 1979
	Thence, in section 5
	The 1/4 sec. cor. of secs. 5 and 8, marked with an iron pipe, 1 in. diam., set and mkd. as described in the official field-note record of the dependent resurvey of a portion of the subdivisional lines, executed in 1972 - 1979.
	N. 0° 22' E., on the N. and S. center line of sec. 5.

	Gila and Bail River Meridian, Arizona
CHAINS	
5.03	The witness point of sec. 5, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above the surface of the ground, set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979.
8.94	Intersect the center line of the Mohawk Canal, the point for Cor. No. 2, lot 10 and Cor. No. 3, lot 9, Sec. 5. No permanent monument was established.
19.97	The point for the C-S 1/16 sec. cor. of sec. 5. This cor. point is as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979. This cor. point was designated in the 1972 - 1979 survey to function for Cor. No. 3, lot 8 and Cor. No. 2, lot 9, sec. 5. Cor. No. 3, lot 8 is voided by this survey and redesignated Cor. No. 3, lot 13, sec. 5.
30.20	The point for Cor. No. 3, lot 12 and Cor. No. 2, lot 13, sec. 5.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 8 ins. below the surface of the road, mkd.
	T8S R15W
	\$ S S
	L 12
	COR 3
	COR 2
	L 13
	1981
	There are no suitable accessories nor locations available for reference monuments.
39.94	The C 1/4 sec. cor. of sec. 5, monumented with an iron post, 2 1/2 ins. diam., set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979.
	N. 0° 22' E., beginning new measurement
4.85	The point for Cor. No. 4, Parcel C and Cor. No. 3, Parcel D, sec. 5.
٠	Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T8S R15W S 5 PAR C PAR D COR 4 COR 3

7	CHAINS					
	18.185	The point for Cor. No. 1, Parcel C and Cor. No. 2, Parcel D, sec. 5.				
		Set an iron post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.				
		TO C. D1511				
		T8S R15W S 5				
		COR 1 COR 2 PAR C PAR D				
		1981				
	20.22	The C-N 1/16 sec. cor. of sec. 5, marked with an iron pipe, 1 in. diam., set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979.				
		From Cor. No. 2, lot 7 which is identical with Cor. No. 1, lot 8, sec. 5, monumented with an iron post, 2 1/2 ins. diam., set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979. Lot 8 is voided by this survey, this corner is designated Cor. No. 1, lot 12 and Cor. No. 6, Parcel D, sec. 5. Remarked the brass cap as:				
		T8S R15W				
		S 5 PAR D				
		COR 6				
		C COR 1 COR 2				
		LOT 12 \ LOT 7				
		1981 1972				
		S. 89° 31' W., on the E and W center line of sec. 5.				
	19.52	The C 1/4 sec. cor. of sec. 5.				
		S. 89° 31' W., beginning new measurement				
	20.15	The point for the C-W 1/16 sec. cor. of sec. 5.				
		Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 16 ins. below the surface of the ground, mkd.				
		W 1/16				
		C ———— C				
		1981				
	40.20					
	40.30	The 1/4 sec. cor. of secs. 5 and 6.				

Gila and Salt River Meridian, Arizona **CHAINS** The SE 1/16 sec. cor. of sec. 5, marked with an iron pipe, 1 in. diam., with brass cap missing, set and witnessed as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979 At the corner point Set an iron post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. SE 1/16 S 5 1981 Deposit the iron pipe cor. marker alongside the iron post. N. 0° 16' E., on the N and S center line of the SE 1/4 of sec. 5, and on a blank line across lot 13.

14.745 The point for Cor. No. 1, lot 13 and Cor. No. 4, lot 12, sec. 5.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.


T8S R15W
S|5
L 12|
COR 4|
COR|1
L|13

1981

17.87 | Intersect line 2 - 3, lot 7 and line 4 - 1, lot 8, sec.

Lot 8 is voided by this survey, redesignated lots 12 and 13. This point of intersection is designated Cor. No. 5, lot 12 and Cor. No. 5, lot 13, sec. 5.

Set a Bureau of Reclamation iron pipe marker, 36 ins. long, 1 in. diam., with brass cap 12 ins. below the surface of the ground, mkd.



1981

There are no suitable accessories nor locations available for reference monuments.

Thence, on a blank line across lots 7, sec. 5.

	Gila and Salt River Meridian, Arizona
CHAINS	
20.02	The C-E 1/16 sec. cor. of sec. 5, which is designated to function for Cor. No. 3, lot 6, sec. 5, marked with an iron pipe, 1 in. diam., set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed
	in 1972 - 1979.
	Thence, in section 6
	Restoring the Survey Executed by Albin H. Wadin, Engineer Bureau of Reclamation, in 1954
	From the 1/4 sec. cor. of secs. 5 and 6.
	S. 89° 49.5' W., on the E and W center line of sec. 6.
40.12	The C 1/4 sec. cor. of sec. 6, marked with an iron pipe, 1 in. diam., with brass cap 30 ins. below the surface of the ground, mkd.
	BUREAU OF RECLAMATION C 1/14 S 6
	1949
	The above cor. marker was accepted and described in the official field-note record of the survey of a portion of the subdivision lines within sec. 6, executed in 1954. I did not remonument this corner.
	S. 89° 49' W., beginning new measurement
20.06	The point for the C-W 1/16 sec. cor. of sec. 6, at proportionate dist.; there is no evidence of the original cor.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.
	C
	S 6
	1981
	There are no suitable accessories nor locations available for reference monuments.
38.66	The 1/4 sec. cor. of secs. 1 and 6 on the west boundary of the township, marked with an iron pipe, 1 in. diam., with brass cap 6 ins. below the surface of the road, set and marked as described in the field-note record of the dependent resurvey of a portion of the east boundary, Tp. 8 S., R. 16 W., executed concurrently with this group.

CHAINS	
	From the C 1/4 sec. cor. of sec. 6
	N. 0° 18.5' E., on the N and S center line of sec. 6.
15.805	The point for Cor. No. 4, Parcel A, sec. 6.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T8S R15W S 6 PAR A COR 4
	1981
20.325	The C-N 1/16 sec. cor. of sec. 6, marked with an iron pipe 1 in. diam., with brass cap 25 ins. below the surface of the ground, mkd.
	N 1/6 C S 6 C
	1950
	The above cor. marker was accepted and described in the official field-note record of the survey of a portion of the subdivision lines within sec. 6, executed in 1954. I did not remonument this corner.
	N. 0° 18.5' E., beginning new measurement
0.55	Cor. No. 3, lot 8, which is identical with Cor. No. 2, lot 9, Cor. No. 6, lot 10, and Cor. No. 1, lot 11, sec. 6, at proportionate dist.; there is no evidence of the original cor.
	Lot 11 is voided by this survey, redesignated lots 15 and 16. This cor. is designated Cor. No. 1, lot 15, sec. 6.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap, 24 ins. below the surface of the ground, mkd.
	T8S R15W
	C S 6 L 10 COR 6 L 8
	COR 3 COR 2 L 15 L 9 C
	1981
	There are no suitable accessories nor locations available for reference monuments.

	Gila and Salt River Meridian, Arizona	
CHAINS		
20.22	The 1/4 sec. cor. of secs. 6 and 31 on the N. boundary of the township.	
	From the N 1/16 sec. cor. of secs. 5 and 6.	
	S. 89° 47' W., on the E and W center line of the NE 1/4 of sec. 6.	
20.13	The calculated position, the point for the NE 1/16 sec. cor. of sec. 6. No permanent monument was established.	
31.36	The point for Cor. No. 4, lot 8 and Cor. No. 1, lot 9, sec. 6, at proportionate dist.; there is no evidence of the original cor.	
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.	
	T8S R15W S 6 L 9 L 8 COR 1 COR 4 N PAR A	
	1981	
	There are no suitable accessories nor locations available for reference monuments.	
40.26	The C-N 1/16 sec. cor. of sec. 6.	
	From the C-W 1/16 sec. cor. of sec. 6.	
	N. 0° 06' E., on the N and S center line of the NW 1/4 of sec. 6	
20.305	Intersect the E and W center line of the NW 1/4, the point for NW 1/16 sec. cor. of sec. 6; there is no evidence of the original corner.	
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 6 ins. below the surface of the road, mkd.	
·	NW 1/16 S 6	
	1981	
	There are no suitable accessories nor locations available for reference monuments.	
26.90	The point for Cor. No. 5, lot 15, Cor. No. 1, lot 16, Cor. No. 4, lot 17, and Cor. No. 6, lot 18, sec. 6.	

CHAINS	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.
	T8S R15W W S 6 L 17 COR 4 L 15 COR 5
	L 18 COR 1 L 16 W
	1981
	There are no suitable accessories nor locations available for reference monuments.
32.56	The point for Cor. No. 3, lot 10, Cor. No. 5, lot 12, Cor. No. 4, lot 11, and Cor. No. 1, lot 13, sec. 6, at proportionate dist.; there is no evidence of the original cor.
·	Lots 11 and 13 are voided by this survey, redesignated lots 15, 16, 17, 18, and 19. This cor. is designated Cor. No. 4, lot 15 and Cor. No. 5, lot 17, sec. 6.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.
	T8S R15W W S 6 L 12 COR 5 L 10 COR 3 COR 5 L 17 COR 4 L 15 W 1981
	There are no suitable accessories nor locations available for reference monuments.
40.555	The 1/4 sec. cor. of secs. 6 and 31 on the N. boundary of the township.
	From the C-N 1/16 sec. cor. of sec. 6.
,	S. 89° 47' W., on the E and W center line of the NW 1/4 of sec. 6.
13.89	The point for Cor. No. 3, Parcel A, Cor. No. 6, lot 15, and Cor. No. 3, lot 16, sec. 6.

 	Gila and Salt River Meridian, Arizona	
CHAINS	Set an iron post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.	
	T8S R15W	
	L 16 L 15 COR 3 COR 6 N COR 3 PAR A	
·	1981	
20.13	Intersect the N and S center line of the NW 1/4, the NW 1/16 sec. cor. of sec. 6.	
21.43	The point for Cor. No. 7, lot 13 and Cor. No. 1, lot 14, sec. 6, at proportionate dist.; there is no evidence of the original cor.	
	Lot 13 is voided by this survey, redesignated lots 17, 18, and 19. This cor. is designated Cor. No. 5, lot 19, sec. 6.	
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.	
	T8S R15W S 6 L 14 L 19 COR 1 COR 5 N	
	1981	
	There are no suitable accessories nor locations available for reference monuments.	
38.82	The N 1/16 sec. cor. of secs. 1 and 6 on the west boundary of the township, marked with an iron pipe, 1 in. diam., with brass cap 10 ins. below the surface of the road, set and marked as described in the field-note record of the dependent resurvey of a portion of the east boundary, Tp. 8 S., R. 16 W., executed concurrently with this group.	
	Dependent Resurvey of the Metes and Bounds Survey of a number of lots within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona	
	From Cor. No. 4, lot 8 and Cor. No. 1, lot 9, sec. 6.	
	N. 86° 46' W., between lots 8 and 9, sec. 6.	
8.91	Cor. No. 3, lot 8, Cor. No. 2, lot 9, Cor. No. 6, lot 10, and Cor. No. 1, lot 15, sec. 6.	
	N. 86° 37' W., between lots 10 and 15, sec. 6.	
4.66	The point for Cor. No. 5, lot 10 and Cor. No. 2, lot 11, sec. 6, at proportionate dist.; there is no evidence of the original cor.	
 	I ALGO DI MODILI DI M	

Dependent Resurvey of the Metes and Bounds Survey of a Number of Lots Within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

CHAINS

Lot 11 is voided by this survey, redesignated lots 15 and 16. This cor. is designated Cor. No. 2, lot 15, sec. 6.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 22 ins. below the surface of the ground, mkd.

T8S R15W S 6 L 10 COR 5 COR 2 L 15

1981

There are no suitable accessories nor locations available for reference monuments.

Thence, continue between lots 10 and 15, sec. 6, along the arc of a curve, curve data:

Chord bears N. 68° 35' W. Chord length 3.375 chs. dist. Radius 5.455 chs. dist. Length of arc 3.43 chs. dist.

At the end of the arc of the curve, the point for Cor. No. 4, lot 10 and Cor. No. 3, lot 11, sec. 6, at proportionate dist.; there is no evidence of the original cor.

Lot 11 is voided by this survey, redesignated lots 15 and 16. This cor. is designated Cor. No. 3, lot 15, sec. 6.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.

T8S R15W S 6 L 10 COR 4 COR 3 L 15

There are no suitable accessories nor locations available for reference monuments.

N. 50° 34' W., continue between lots 10 and 15, sec. 6.

Dependent Resurvey of the Metes and Bounds Survey of a Number of Lots Within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

	Gila and Salt River Meridian, Arizona
CHAINS	
15.94	Cor. No. 3, lot 10, Cor. No. 5, lot 12, Cor. No. 4, lot 15, and Cor. No. 5, lot 17, sec. 6.
	
	N. 50° 38' W., between lots 12 and 17, sec. 6.
9.25	The point for Cor. No. 4, lot 12 and Cor. No. 2, lot 13, sec. 6, at proportionate dist.; there is no evidence of the original cor.
	Lot 13 is voided by this survey, redesignated lots 17, 18, and 19. This cor. is designated Cor. No. 1, lot 17 and Cor. No. 1, lot 18, sec. 6.
	Set an iron post, 28 ins. 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T8S R15W S 6 L 12 COR 1 COR 4 L 18 COR 1 L 17
	1981

	S. 89° 50' W., between lots 12 and 18, sec. 6.
11.60	Intersect the west boundary of the township.
	The point for Cor. No. 3, lot 12 and Cor. No. 3, lot 13, sec. 6, at proportionate dist.; there is no evidence of the original cor.
	Lot 13 is voided by this survey, redesignated lots 17, 18, and 19. This cor. is designated Cor. No. 2, lot 18, sec. 6.
	Set an aluminum rod, 36 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 10 ins. below the surface of the road, mkd.
	T8S R16W R15W S 1 S 6 L 12 COR 3 COR 2
	L 18
	1981
	There are no suitable accessories nor locations available for reference monuments.
	From Cor. No. 1, lot 14 and Cor. No. 5, lot 19, sec. 6.

18

Dependent Resurvey of the Metes and Bounds Survey of a Number of Lots Within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

N. 50° 37' W., between lots 14 and 19, sec. 6. The point for Cor. No. 6, lot 13 and Cor. No. 2, lot 9.87 14, sec. 6, at proportionate dist.; there is no evidence of the original cor. Lot 13 is voided by this survey, redesignated lots 17, 18, and 19. This cor. is designated Cor. No. 4, lot 19, sec. 6. Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd. T8S R15W S 6 L 19 COR 2 COR 4 L 14 1981 There are no suitable accessories nor locations available for reference monuments. Thence, continue between lots 14 and 19, sec. 6, along the arc of a curve, curve data: Chord bears N. 70° 23' W. Chord length 3.69 chs. dist. Radius 5.455 chs. dist. Length of arc 3.765 chs. dist. At the end of the arc of the curve, the point for Cor. No. 5, lot 13 and Cor. No. 3, lot 14, sec. 6, at proportionate dist.; there is no evidence of the original cor. Lot 13 is voided by this survey, redesignated lots 17, 18, and 19. This cor. is designated Cor. No. 3, lot 19, sec. 6. Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd. T8S R15W S 6 L 19 COR 3 COR 3 L 14 1981 There are no suitable accessories nor locations available for reference monuments.

S. 89° 50' W., continue between lots 14 and 19, sec. 6.

Dependent Resurvey of the Metes and Bounds Survey of a Number of Lots Within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

CHAINS	and the fact well deline, in 120ha
6.30	Cor. No. 4, lot 14 and Cor. No. 2, lot 19, sec. 6, Tp. 8 S., R. 15 W., and Cor. No. 1, lot 7, sec. 1 and Angle Point No. 8, Tract 47, Tp. 8 S., R. 16 W., monumented with an aluminum rod, 5/8 in. diam., with aluminum cap 15 ins. below the surface of the road, set and marked as described in the field-note record of the dependent resurvey of a portion of the east boundary Tp. 8 S., R. 16 W., executed concurrently with this group.
	Survey of a Portion of the Subdivision Lines Within Section 5 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona
	From the C-W 1/16 sec. cor. of sec. 5.
	N. 0° 30' E., on the N and S center line of the NW 1/4 of sec. 5.
4.96	The point for Cor. No. 4, Parcel B and Cor. No. 3, Parcel C, sec. 5.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 16 ins. below the surface of the ground, mkd.
	T8S R15W
	S 5 PAR B PAR C COR 4 COR 3
	1981
	There are no suitable accessories nor locations available for reference monuments.
15.35	The point for Cor. No. 1, Parcel B and Cor. No. 4, Parcel A, sec. 5.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T8S R15W S 5 PAR A PAR C COR 4 COR 1 PAR B
	1981
18.30	The point for Cor. No. 1, Parcel A and Cor. No. 2, Parcel C, sec. 5.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

GVIANIC	
CHAINS	
	T8S R15W
	S 5 COR 1 COR 2
	PAR A PAR C
	1981
40.42	The W 1/16 sec. cor. of secs. 5 and 32 on the north
40.42	boundary of the township.
	Metes and Bounds Survey of Parcels A, B, C, and D Within Section 5, Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona
	Thence, Parcel A, section 5
	From Cor. No. 1, Parcel A, which is identical with Cor. No. 2, Parcel C, sec. 5.
	S. 89° 49' W., on line 1 - 2, Parcel A, sec. 5.
20.09	Cor. No. 2, Parcel A, sec. 5.
	S. 0° 40' W., on line 2 - 3, Parcel A, sec. 5, which is identical with the sec. line between secs. 5 and 6.
2.57	Cor. No. 5, Parcel A, sec. 6.
2.95	Cor. No. 3, Parcel A, which is identical with Cor. No. 2, Parcel B, sec. 5.
	N. 89° 49' E., on line 3 - 4, Parcel A, which is identical with line 2 - 1, Parcel B, sec. 5.
20.10	Cor. No. 4, Parcel A, which is identical with Cor. No. 1, Parcel B, sec. 5.
	N. 0° 30' E., on line 4 - 1, Parcel A, which is identical with the N and S center line of the NW 1/4 of sec. 5.
2.95	Cor. No. 1, Parcel A, which is identical with Cor. No. 2, Parcel C, sec. 5, and the place of beginning.
	Thence, Parcel B, section 5

Metes and Bounds Survey of Parcels A, B, C, and D Within Section 5, Township 8 South, Range 15 West

Township 8	South, Range 15	West
Gila and Salt	River Meridian,	Arizona

	Gila and Salt River Meridian, Arizona	
CHAINS		
	From Cor. No. 1, Parcel B, which is identical with Cor. No. 4, Parcel A, sec. 5.	
	S. 89° 49' W., on line 1 - 2, Parcel B, which is identical with line 4 - 3, Parcel A, sec. 5.	
20.10	Cor. No. 2, Parcel B, which is identical with Cor. No. 3, Parcel A, sec. 5.	
	S. 0° 40' W., on line 2 - 3, Parcel B, sec. 5, which is identical with the sec. line between secs. 5 and 6.	
10.385	Cor. No. 3, Parcel B, sec. 5.	
	N. 89° 48' E., on line 3 - 4, Parcel B, sec. 5.	
20.13	Cor. No. 4, Parcel B, which is identical with Cor. No. 3, Parcel C, sec. 5	
	N. 0° 30' E., on line 4 - 1, Parcel B, which is identical with a portion of line 3 - 2, Parcel C, and is identical with the N and S center line of the NW 1/4 of sec. 5.	
10.39	Cor. No. 1, Parcel B, which is identical with Cor. No. 4, Parcel A, sec. 5, and the place of beginning.	
	Thence, Parcel C, section 5	
	From Cor. No. 1, Parcel C, which is identical with Cor. No. 2, Parcel D, sec. 5.	
	S. 89° 49' W., on line 1 - 2, Parcel C, sec. 5.	
20.08	Cor. No. 2, Parcel C, which is identical with Cor. No. 1, Parcel A, sec. 5.	
	S. 0° 30' W., on line 2 - 3, Parcel C, which is identical with line 1 - 4, Parcel A, and is identical with the N and S center line of the NW 1/4 of sec. 5.	
2.95	Cor. No. 4, Parcel A, which is identical with Cor. No. 1, Parcel B, sec. 5.	
	Continue on line 2 - 3, Parcel C, which is now identical with line 1 - 4, Parcel B, sec. 5.	
13.34	Cor. No. 3, Parcel C, which is identical with Cor. No. 4, Parcel B, sec. 5.	

Metes and Bounds Survey of Parcels A, B, C, and D Within Section 5, Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

CHAINS	N. 89° 48' E., on line, 3 - 4, Parcel C, sec. 5.
20.13	Cor. No. 4, Parcel C, which is identical with Cor. No.
	3, Parcel D, sec. 5.
	N. 0° 22' E., on line 4 - 1, Parcel C, which is
	identical with line 3 - 2, Parcel D, and is identical with the N and S center line of sec. 5.
13.335	Cor. No. 1, Parcel C, which is identical with Cor. No. 2, Parcel D, sec. 5, and the place of beginning.
	Thence, Parcel D, section 5
	Cor. No. 3, lot 5, which is identical with Cor. No. 2,
	lot 6, sec. 5, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above the surface of the ground, with brass cap mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979. This cor. is designated Cor. No. 1, Parcel D, sec. 5
	S. 89° 53' W., on line 1 - 2, Parcel D, sec. 5.
20.03	Cor. No. 2, Parcel D, which is identical with Cor. No. 1, Parcel C, sec. 5.
	S. 0° 22' W., on line 2 - 3, Parcel D, which is identical with line 1 - 4, Parcel C, and is identical with the N and S center line of sec. 5.
13.335	Cor. No. 3, Parcel D, which is identical with Cor. No. 4, Parcel C, sec. 5.
	N 90° 51 F on line 2 - / Parcel D con 5
	N. 89° 51' E., on line 3 - 4, Parcel D, sec. 5.
14.04	The point for Cor. No. 4, Parcel D, sec. 5.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.
	T8S R15W
	S 5 PAR D
	COR 4
	1981
	There are no suitable accessories nor locations
	available for reference monuments.

Metes and Bounds Survey of Parcels A, B, C, and D Within Section 5, Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

7	CHAINS		
	CHAINS	Thence, on line 4 - 5, Parcel D, sec. 5, along the arc of a curve, curve data:	
		Chord bears S. 52° 02' E. Chord length 6.73 chs. dist. Radius 5.455 chs. dist. Length of arc 7.255 chs. dist.	
		At the end of the arc of the curve, the point for Cor. No. 5, Parcel D, sec. 5.	
		Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 16 ins. below the surface of the ground, mkd.	
		T8S R15W	
		S 5 PAR D COR 5	
		1981	
		There are no suitable accessories nor locations available for reference monuments.	
	4	S. 13° 55' E., on line 5 - 6, Parcel D, sec. 5.	
	0.59	Cor. No. 6, Parcel D, which is identical with Cor. No. 2, lot 7 and Cor. No. 1, lot 12, sec. 5.	
		N. 89° 31' E., on line 6 - 7, Parcel D, which is identical with a portion of line 2 - 1, lot 7, and is identical with the E and W center line of sec. 5.	
	0.54	The C-E 1/16 sec. cor. of sec. 5, designated to function for Cor. No. 3, lot 6, and Cor. No. 7, Parcel D, sec. 5.	
		N. 0° 17' E., on line 7 - 1, Parcel D, which is identical with line 3 - 2, lot 6, and is identical with the N and S center line of the NE 1/4 of sec. 5.	
	18.06	Cor. No. 1, Parcel D, which is identical with Cor. No. 3, lot 5 and Cor. No. 2, lot 6, sec. 5, and the place of beginning.	
		Metes and Bounds Survey of Lots 12 and 13 Within Section 5 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona	
		Thence, lot 12, section 5	

Metes and Bounds Survey of Lots 12 and 13 Within Section 5 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

 	and built hered herrarding hirzonia
CHAINS	
	From Cor. No. 1, lot 12, which is identical with Cor. No. 2, lot 7 and Cor. No. 6, Parcel D, sec. 5.
	S. 89° 31' W., on line 1 - 2, lot 12, which is identical with the E and W center line of sec. 5.
19.52	The C 1/4 sec. cor. of sec. 5, which is designated to function for Cor. No. 2, lot 12, sec. 5.
	S. 0° 22' W., on line 2 - 3, lot 12, which is identical with the N and S center line of sec. 5.
9.74	Cor. No. 3, lot 12, which is identical with Cor. No. 2 lot 13, sec. 5.
	N. 76° 57' E., on line 3 - 4, lot 12, which is identical with line 2 - 1, lot 13, sec. 5.
20.63	Cor. No. 4, lot 12, which is identical with Cor. No. 1, lot 13, sec. 5.
	N. 0° 16' E., on line 4 - 5, lot 12, which is identical with line 1 - 5, lot 13, and is identical with the N and S center line of the SE 1/4 of sec. 5.
3.125	Cor. No. 5, lot 12, which is identical with Cor. No. 5, lot 13, sec. 5.
	N. 13° 55' W., on line 5 - 1, lot 12, which is identical with a portion of line 3 - 2, lot 7, sec. 5.
2.21	Cor. No. 1, lot 12, which is identical with Cor. No. 2, lot 7, and Cor. No. 6, Parcel D, sec. 5, and the place of beginning.
	Thence, lot 13, section 5
	From Cor. No. 1, lot 13, which is identical with Cor. No. 4, lot 12, sec. 5.
	S. 76° 57' W., on line 1 - 2, lot 13, which is identical with line 4 - 3, lot 12, sec. 5.
20.63	Cor. No. 2, lot 13, which is identical with Cor. No. 3, lot 12, sec. 5.
	• • •
	S. 0° 22' W., on line 2 - 3, lot 13, which is identical with the N and S center line of sec. 5.

Metes and Bounds Survey of Lots 12 and 13 Within Section 5 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

	Gila and Salt River Meridian, Arizona
CHAINS	
10.23	The point for the C-S 1/16 sec. cor. of sec. 5, this point is designated to function for Cor. No. 3, lot 13 and Cor. No. 2, lot 9, sec. 5, heretofore described.
	N. 89° 41' E., on line 3 - 4, lot 13, which is identical with line 2 - 1, lot 9, and is identical with the E and W center line of the SE 1/4, sec. 5.
20.09	The SE 1/16 sec. cor. of sec. 5.
24.59	Cor. No. 4, lot 8, which is identical with Cor. No. 1, lot 9, sec. 5, marked with an iron pipe, 1 in. diam., set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 5, executed in 1972 - 1979. Lot 8 is voided by this survey, this corner is designated Cor. No. 4, lot 13, sec. 5. Remarked the brass cap as:
	BUREAU OF RECLAMATION S 5
	COR 4
	LOT 13 LOT 7
	LOT 9
	COR 1
	1981
	1972 1958
	1936
	N. 13° 55' W., on line 4 - 5, lot 13, which is identical with a portion of line 3 - 2, lot 7, sec. 5.
18.38	Cor. No. 5, lot 13, which is identical with Cor. No. 5, lot 12, sec. 5.
	S. 0° 16' W., on line 5 - 1, lot 13, which is identical with line 5 - 4, lot 12, and is identical with the N and S center line of the SE 1/4, sec. 5.
3.125	Cor. No. 1, lot 13, which is identical with Cor. No. 4, lot 12, sec. 5, and the place of beginning.
	Metes and Bounds Survey, Lots 15 through 19 Inclusive Within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona
	Thence, lot 15, section 6
	From Cor. No. 1, lot 15, which is identical with Cor. No. 3, lot 8, Cor. No. 2, lot 9, and Cor. No. 6, lot 10, sec. 6.
	N. 86° 37' W., on line 1 - 2, lot 15, which is identical with line 6 - 5, lot 10, sec. 6.
	TOTAL DIM

Metes and Bounds Survey, Lots 15 through 19 Inclusive Within Section 6

To	ownst	nip 8	South,	, Range 1	.5	West
Gila	and	Salt	River	Meridian	,	Arizona

 	
4.66	Cor. No. 2, lot 15, which is identical with Cor. No. 5, lot 10, sec. 6.
	Thence on line 2 - 3, lot 15, which is identical with line 5 - 4, lot 10, sec. 6, along the arc of a curve, curve data:
	Chord bears N. 68° 35' W. Chord length 3.375 chs. dist. Radius 5.455 chs. dist. Length of arc 3.43 chs. dist.
	At the end of the arc of the curve, Cor. No. 3, lot 15, which is identical with Cor. No. 4, lot 10, sec. 6.
	N. 50° 34' W., on line 3 - 4, lot 15, which is identical with line 4 - 3, lot 10, sec. 6.
15.94	Cor. No. 4, lot 15, which is identical with Cor. No. 3, lot 10, Cor. No. 5, lot 12, and Cor. No. 5, lot 17, sec. 6.
	S. 0° 06' W., on line 4 - 5, lot 15, which is identical with line 5 - 4, lot 17, and is identical with the N and S center line of the NW 1/4, sec. 6.
5.66	Cor. No. 5, lot 15, which is identical with Cor. No. 1, lot 16, Cor. No. 4, lot 17, and Cor. No. 6, lot 18, sec. 6.
·	S. 43° 28' E., on line 5 - 6, lot 15, which is identical with line 1 - 3, lot 16, sec. 6.
9.06	Cor. No. 6, lot 15, which is identical with Cor. No. 3, lot 16, and Cor. No. 3, Parcel A, sec. 6.
	
	N. 89° 47' E., on line 6 - 7, lot 15, which is identical with line 3 - 2, Parcel A, and is identical with the E and W center line of the NW 1/4, sec. 6.
13.89	The C-N 1/16 sec. cor. of sec. 6, which is designated to function for Cor. No. 7, lot 15, Cor. No. 3, lot 9, and Cor. No. 2, Parcel A, sec. 6.
	N. 0° 18.5' E., on line 7 - 1, lot 15, which is identical with line 3 - 2, lot 9, and is identical with the N and S center line of sec. 6.

	Gila and Salt River Meridian, Arizona
CHAINS	
0.55	Cor. No. 1, lot 15, which is identical with Cor. No. 3, lot 8, Cor. No. 2, lot 9, and Cor. No. 6, lot 10, sec. 6, and the place of beginning.
	Thence, lot 16, section 6
	From Cor. No. 1, lot 16, which is identical with Cor. No. 5, lot 15, Cor. No. 4, lot 17, and Cor. No. 6, lot 18, sec. 6.
	S. 0° 06' W., on line 1 - 2, lot 16, which is identical with line 6 - 5, lot 18, and is identical with the N and S center line of the NW 1/4, sec. 6.
6.595	The NW 1/16 sec. cor. of sec. 6, which is designated to function for Cor. No. 2, lot 16, Cor. No. 5, lot 18, sec. 6.
	N. 89° 47' E., on line 2 - 3, lot 16, which is identical with the E and W center line of the NW 1/4, sec. 6.
6.24	Cor. No. 3, lot 16, which is identical with Cor. No. 6, lot 15, and Cor. No. 3, Parcel A, sec. 6.
	N. 43° 28' W., on line 3 - 1, lot 16, which is identical with line 6 - 5, lot 15, sec. 6.
9.06	Cor. No. 1, lot 16, which is identical with Cor. No. 5, lot 15, Cor. No. 4, lot 17, and Cor. No. 6, lot 18, sec. 6, and the place of beginning.
	Thence, lot 17, section 6
	From Cor. No. 1, lot 17, which is identical with Cor. No. 4, lot 12, and Cor. No. 1, lot 18, sec. 6.
	S. 0° 10' E., on line 1 - 2, lot 17, which is identical with line 1 - 8, lot 18, sec. 6
0.985	The point for Cor. No. 2, lot 17, and Cor. No. 8, lot 18, sec. 6.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.
	T8S R15W S 6 L 18 L 17
	COR 8 COR 2 1981
	There are no suitable accessories nor locations
	available for reference monuments.

	Glia and Sait River Heridian, Arizona
CHAINS	
	S. 89° 50' W., on line 2 - 3, lot 17, which is identical with line 8 - 7, lot 18, sec. 6.
2.85	The point for Cor. No. 3, lot 17 and Cor. No. 7, lot 18, sec. 6.
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below the surface of the ground, mkd.
	T8S R15W
	S 6
	COR 7 COR 3 L 18 L 17
	1981
	There are no suitable accessories nor locations available for reference monuments.
	S. 43° 28' E., on line 3 - 4, lot 17, which is identical with line 7 - 6, lot 18, sec. 6.
14.51	Cor. No. 4, lot 17, which is identical with Cor. No. 5, lot 15, Cor. No. 1, lot 16, and Cor. No. 6, lot 18, sec. 6.
	N. 0° 06' E., on line 4 - 5, lot 17, which is identical with line 5 - 4, lot 15, and is identical with the N and S center line of the NW 1/4, sec. 6.
5.66	Cor. No. 5, lot 17, which is identical with Cor. No. 3, lot 10, Cor. No. 5, lot 12, and Cor. No. 4, lot 15, sec. 6.
	N. 50° 38' W., on line 5 - 1, lot 17, which is identical with line 5 - 4, lot 12, sec. 6.
9.25	Cor. No. 1, lot 17, which is identical with Cor. No. 4, lot 12, and Cor. No. 1, lot 18, sec. 6, and the place of beginning.
	Thence, lot 18, section 6
	From Cor. No. 1, lot 18, which is identical with Cor. No. 4, lot 12, and Cor. No. 1, lot 17, sec. 6.
	S. 89° 50' W., on line 1 - 2, lot 18, which is identical with line 4 - 3, lot 12, sec. 6.
11.60	Cor. No. 2, lot 18, which is identical with Cor. No. 3, lot 12, sec. 6 on the west boundary of the township.
:	
	1

		Gila and Salt River Meridian, Arizona
	CHAINS	
		S. 0° 07' E., on line 2 - 3, lot 18, which is identical with the west boundary of the township.
•	0.15	The point for the cor. of lots 5 and 6, sec. 1, Tp. 8 S., R. 16 W., as described in the field-note record of the dependent resurvey of a portion of the east boundary of Tp. 8 S., R. 16 W., executed concurrently with this group.
	6.775	Cor. No. 3, lot 18, which is identical with Cor. No. 1, lot 19, sec. 6, Tp. 8 S., R. 15 W., and Angle Point No. 1, Tract 47, Tp. 8 S., R. 16 W., monumented with an aluminum rod, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd. and described in the field-note record of the dependent resurvey of a portion of the east boundary of Tp. 8 S., R. 16 W., executed concurrently with this group.
		N. 89° 50' E., on line 3 - 4, lot 18, which is identical with line 1 - 7, lot 19, sec. 6.
	7.97	The point for Cor. No. 4, lot 18 and Cor. No. 7, lot 19, sec. 6.
		Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 7 ins. below the surface of the road, mkd.
		T8S R15W S 6 L 18 COR 4 COR 7 L 19
		1981
		There are no suitable accessories nor locations available for reference monuments.
		S. 43° 28' E., on line 4 - 5, lot 18, which is identical with line 7 - 6, lot 19, sec. 6.
	15.62	The NW 1/16 sec. cor. of sec. 6, which is designated to function for Cor. No. 5, lot 18, Cor. No. 2, lot 16, and Cor. No. 6, lot 19, sec. 6.
		· · · · · · · · · · · · · · · · · · ·
		N. 0° 06' E., on line 5 - 6, lot 18, which is identical with line 2 - 1, lot 16, and is identical with the N and S center line of the NW 1/4, sec. 6.
	6.595	Cor. No. 6, lot 18, which is identical with Cor. No. 5, lot 15, Cor. No. 1, lot 16, and Cor. No. 4, lot 17, sec. 6.
	I	ı l

	oria and bare kiver increasing increase
CHAINS	N. 43° 28' W., on line 6 - 7, lot 18, which is
	identical with line 4 - 3, lot 17, sec. 6.
14.51	Cor. No. 7, lot 18, which is identical with Cor. No. 3, lot 17, sec. 6.
	N. 89° 50' E., on line 7 - 8, lot 18, which is identical with line 3 - 2, lot 17, sec. 6.
2.85	Cor. No. 8, lot 18, which is identical with Cor. No. 2, lot 17, sec. 6.
	N. 0° 10' W., on line 8 - 1, lot 18, which is identical with line 2 - 1, lot 17, sec. 6.
0.985	Cor. No. 1, lot 18, which is identical with Cor. No. 4, lot 12, and Cor. No. 1, lot 17, sec. 6, and the place of beginning.
	Thence, lot 19, section 6
	Cor. No. 1, lot 19, which is identical with Cor. No. 3, lot 18, sec. 6, Tp. 8 S., R. 15 W., and Angle Point No. 1, Tract 47, Tp. 8 S., R. 16 W.
	S. 0° 07' E., on line 1 - 2, lot 19, which is identical with line 1 - 8, Tract 47, Tp. 8 S., R. 16 W., and is identical with the west boundary of the township.
3.835	Cor. No. 2, lot 19, which is identical with Cor. No. 4, lot 14, sec. 6, and Cor. No. 1, lot 7, sec. 1 and Angle Point No. 8,, Tract 47, Tp. 8 S., R. 16 W.
	N. 89° 50' E., on line 2 - 3, lot 19, which is identical with line 4 - 3, lot 14, sec. 6.
6.30	Cor. No. 3, lot 19, which is identical with Cor. No. 3, lot 14, sec. 6.
	Thence, on line 3 - 4, lot 19, which is identical with line 3 - 2, lot 14, sec. 6, along the arc of a curve, curve data:
	Chord bears S. 70° 23' E. Chord length 3.69 chs. dist. Radius 5.455 chs. dist. Length of arc 3.765 chs. dist.
	At the end of the arc of the curve, Cor. No. 4, lot 19, which is identical with Cor. No. 2, lot 14, sec. 6.

Metes and Bounds Survey, Lots 15 through 19 Inclusive Within Section 6

Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

	Gila and Salt River Meridian, Arizona
CHAINS	
	S. 50° 37' E., on line 4 - 5, lot 19, which is identical with line 2 - 1, lot 14, sec. 6.
9.87	Cor. No. 5, lot 19, which is identical with Cor. No. 1, lot 14, sec. 6.
	N. 89° 47' E., on line 5 - 6, lot 19, which is identical with the E and W center line of the NW 1/4, sec. 6.
1.30	The NW 1/16 sec. cor. of sec. 6, which is designated to function for Cor. No. 6, lot 19, Cor. No. 2, lot 16, and Cor. No. 5, lot 18, sec. 6.
	N. 43° 28' W., on line 6 - 7, lot 19, which is identical with line 5 - 4, lot 18, sec. 6.
15.62	Cor. No. 7, lot 19, which is identical with Cor. No. 4, lot 18, sec. 6.
7 07	S. 89° 50' W., on line 7 - 1, lot 19, which is identical with line 4 - 3, lot 18, sec. 6.
7.97	Cor. No. 1, lot 19, which is identical with Cor. No. 3, lot 18, sec. 6, Tp. 8 S., R. 15 W., and Angle Point No. 1, Tract 47, Tp. 8 S., R. 16 W., and the place of beginning.
	Metes and Bounds Survey of Parcel A, Within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona
	From the N 1/16 sec. cor. of secs. 5 and 6, which is designated to function for Cor. No. 1, Parcel A, sec. 6.
	S. 89° 47' W., on line 1 - 2, Parcel A, which is identical with the E and W center line of the NE 1/4, sec. 6.
31.36	Cor. No. 4, lot 8 and Cor. No. 1, lot 9, sec. 6.
40.26	The C-N 1/16 sec. cor. of sec. 6, which is designated to function for Cor. No. 2, Parcel A, Cor. No. 3, lot 9, Cor. No. 7, lot 15, sec. 6.
	S. 89° 47' W., on line 2 - 3, Parcel A, which is identical with line 7 - 6, lot 15, sec. 6.

Metes and Bounds Survey of Parcel A, Within Section 6 Township 8 South, Range 15 West Gila and Salt River Meridian, Arizona

CHAINS	
13.89	Cor. No. 3, Parcel A, which is identical with Cor. No. 6, lot 15, and Cor. No. 3, lot 16, sec. 6.
	S. 72° 08' E., on line 3 - 4, Parcel A, sec. 6.
14.56	Cor. No. 4, Parcel A, sec. 6.
	N. 89° 47' E., on line 4 - 5, Parcel A, sec. 6.
40.23	Cor. No. 5, Parcel A, sec. 6.
	N. 0° 40' E., on line 5 - 1, Parcel A, sec. 6, which is identical with the sec. line between secs. 5 and 6.
2.57	Cor. No. 2, Parcel A, sec. 5.
4.52	The N 1/16 sec. cor. of secs. 5 and 6, which is designated to function for Cor. No. 1, Parcel A, sec. 6, and the place of beginning.
	GENERAL DESCRIPTION
	The land area within these surveys are nearly level to gently rolling. The soil consists of sandy clay loam; and for the most part the area is under cultivation, except for the federally controlled lands which are undeveloped; with French tamarisk and mesquite trees, and creosote brush (shrub).
	Improvements located throughout the area, are: Numerous canals and laterals for irrigation and/or drainage purposes; County and farm roads.
	1

Form 9600-11 (August 1979)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Thomas E. Casinger	Cadastral Surveyor
Regina R. Lefort	Cadastral Surveyor
Kevin J. Curtis	Surveying Aid
Barbara L. Heth	Surveying Aid

CERTIFICATE OF SURVEY

(I) XXXX Paul J. Fisher

. HEREBY

CERTIFY upon honor that, in pursuance of special instructions bearing date of the 14th day

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), (MEX) and under (my) (MEX) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

September 25, 1981	Yaul & Fisher	
(Date)	(Cadastral Surveyor)	
(Date)	(Cadastral Surveyor)	

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT Denver, Colorado

The foregoing field notes of the dependent resurvey of a portion of the north boundary of the township, a portion of the subdivisional lines, a portion of the subdivision lines within sections 5 and 6, and the dependent resurvey of the metes and bounds survey of a number of lots within section 6; the survey of a portion of the subdivision lines within section 5, the metes and bounds survey of Parcels A, B, C, and D, within section 5, the metes and bounds survey of lots 12 and 13, within section 5, the metes and bounds survey of lots 15 through 19 inclusive, within section 6, and the metes and bounds survey of Parcel A, within section 6, Township 8 South, Range 15 West, of the Gila and Salt River Meridian, Arizona executed by Paul J. Fisher, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

NOV 23 1981	Hary S. Spenget
(Date)	ACTING (Chief, Carastral Survey Examination and Approval Staff)
	CERTIFICATE OF TRANSCRIPT
I CERTIFY That the foreg	going transcript of the field notes of the above-described surveys in
_	, is a true copy of the original field notes.
(D-tr)	(Chi G. Carlada) Survey Experiencia and Assembly (Chi G.